PROPOSAL

The entirety of this Proposal Section shall be completed, scanned, and submitted online with the electronic proposal in the PlanetBids Vendor Portal as identified in the Instructions to Bidders. The original, hardcopy of this proposal shall be submitted to the City Project Manager within three (3) days of the Bid Opening.

	DATE: _	07/15/2025	
TO THE CITY CLER	K OF MURRIETA	, CALIFORNIA:	
BIDDER (Firm Name)	R.J. NOBLE COME	PANY	

The undersigned hereby proposes and agrees to furnish any and all materials, labor, and services for the following:

LOS ALAMOS ROAD, ANTELOPE ROAD, AND ELM STREET PAVEMENT REHABILITATION:
CIP NO. 13047, CITY PROJECT NO. 23-478

All in accordance with the City's Notice Inviting Bids, hereby proposes to furnish all materials, equipment, tools, labor, and incidentals required for the above-stated project as set forth in the Plans, Specifications, and Contract Documents therefore, and to perform all work in the manner and time prescribed therein. The attached Bid Schedule is hereby made a part of this proposal.

The undersigned bidder declares that this proposal is based upon careful examination of the work site, Plans, Specifications, Instructions to Bidders, and all other Contract Documents. If this proposal is accepted for award, bidder agrees to enter into a contract with City at the unit prices or lump-sum prices set forth in the following Bid Schedule. Bidder understands that failure to enter into a contract and furnish bonds in the manner and time prescribed will result in forfeiture to City of the guarantee accompanying this proposal.

The undersigned bidder certifies that this proposal is made in good faith, without collusion or connection with any other person or persons bidding on the work.

The undersigned bidder understands that the City Council reserves the right to accept or reject any or all proposals, or to waive any irregularities in any proposal in the interests of City.

The estimated quantities listed in the Proposal Bid Sheet(s) are supplied to give an indication of the general scope of work, but the accuracy of these figures is not guaranteed and bidder shall make his own estimates from the drawings. In case of a variation between the unit price and the totals shown by bidder, the unit price will be considered to be the bid.

BID SHEET

***This Bid Sheet defines how the project will be bid and what will constitute the Lowest Bidder.

The actual unit prices and total item prices shall be submitted online on the PlanetBids Vendor

Portal as defined in the Instructions to Bidders. Should there be a discrepancy between this Bid

Sheet and the electronic proposal, the electronic proposal shall govern.***

LOS ALAMOS ROAD, ANTELOPE ROAD, AND ELM STREET PAVEMENT REHABILITATION: CIP NO. 13047, CITY PROJECT NO. 23-478

ITEM NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT TOTAL ITEM PRICE PRICE			
1	Mobilization	1	LS				
2	Traffic Control System	1	LS				
3	Water Pollution Control	1 LS UNIT PRICES a					
4	Construction Surveying and Staking	1	LS	TOTAL ITEM PRICES shall be			
5	Changeable Message Signs	5	EA	submitted			
6	Encroachment Permits	1	LS	online at			
7	Project Information Sign	3	EA	PlanetBids.com			
8	Furnish/Install Survey Monument per COM std. no. 617B AND 617C	2	EA				
9	Adjust Existing Survey Monument to Grade	1	EA				
10	Double Adjust Storm Drain Manhole	5	EA				
11	Concrete Removal (Curb Ramp, Cross Gutter, Spandrel, Curb/Gutter, Sidewalk)	5,997	SF				
12	Construct Concrete Cross Gutters, Spandrel, Curb, and Gutter per City Std. 311, 312 & 318	2,385	SF				
13	Construct Concrete Access Ramps, City Std. 321	3,077	SF				
14	Construct Concrete Sidewalks, City Std. 320	436	SF				
15	Remove and Dispose of Asphalt Concrete Pavement (average depth 5.3" Digouts on Antelope Rd.)	9,220	SF				
16	Remove and Dispose of Asphalt Concrete Pavement (average depth 5.75" Digouts on Los Alamos Rd.)	38,924	SF				
17	Remove and Dispose of Aggregate Base and Subgrade Prep (7" depth Base Digout on Elm St.)	4,110	SF				
18	Cold Milling Asphalt Concrete Pavement Full Width at 2.375" Depth (Antelope Rd)	24,139	SY				
19	Cold Milling Asphalt Concrete Pavement Full Width at 4" Depth For Use in CCPR (Elm St)	13,295	SY				
20	Cold Milling Asphalt Concrete Pavement Full Width at 2.25" Depth (Los Alamos Rd)	17,425	SY				
21	Cold Milling Asphalt Concrete Pavement 6' Header Grind at 2" Depth (Los Alamos Rd)	6,239	SY	-			
22	Remove Existing AC Dike (Ranges from 2" to 6")	3,462	LF				
23	Aggregate Base for Base Digout on Elm St.	94	CY				
24	Install Geotextile Reinforcement (Tensar Triax Geogrid Type 2 or Approved Equal)	870	SY				

PROPOSAL P-2 6/24/2025

25 ARHM Overlay 2" (Los Alamos Rd, Antelope Rd, Elm St)	ITEM		ESTIMATED		UNIT TOTAL ITEM
26	NO.		QUANTITY	UNIT	PRICE PRICE
27	\vdash				
28					
CCPR Mix Design, Sampling, and Testing 1					
30 Emulsified Recycling Agent (For use in CCPR) 91 TON					
Cement (For Use in CCPR) 26 TON	\vdash				
32 Asphalt Concrete Pavement for Removal and Replacement of AC (Digouts) 33 Construct 6" AC Dike per City STD. 315 34 Furnish Install Detector Loop 35 Furnish and install #5 pullbox, connect DLC for traffic loops 36 Furnish and install 2" conduit under sidewalk panels or as shown. Connection Type as Shown 37 Furnish and install 2" conduit under sidewalk panels (jack & bore). Connection Type as Shown 38 Furnish and install 2" conduit under sidewalk panels (jack & bore). Connection Type as Shown 39 Wet Sandblast/Remove Existing Pavement Markings on bridge deck 40 Pavement Striping Detail 12 41 Pavement Striping Detail 22 42 Pavement Striping Detail 25 43 Pavement Striping Detail 25 44 Pavement Striping Detail 27B 45 Pavement Striping Detail 32 46 Pavement Striping Detail 37B 47 Pavement Striping Detail 38 48 Pavement Striping Detail 39A 49 Pavement Striping Detail 39A 50 Thermoplastic Striping Detail 40 51 Pavement Striping 6" Solid White Line (Diagonals for bike lane buffer) 54 Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow 55 Thermoplastic Pavement Marking "SIGNAL" and door she will be supported to the pavement Marking and Bike Lane Arrow 55 Thermoplastic Pavement Marking "SIGNAL" and door she will be supported to the pavement Marking and Bike Lane Arrow 56 Thermoplastic Pavement Marking "SIGNAL" and door she will be supported to the pavement Marking and Bike Lane Arrow 57 Thermoplastic Pavement Marking "SIGNAL" and door she will be supported to the pavement Marking and Bike Lane Arrow 58 Thermoplastic Pavement Marking "SIGNAL" and door she will be supported to the pavement Marking and Bike Lane Arrow 58 Final Replacement Marking "SIGNAL" and door she will be supported to the part of the pavement Marking and Bike Lane Arrow 59 Final Replacement Marking "SIGNAL" and door she will be supported to the part of the part o	\vdash				
of AC (Digouts) 33 Construct 6" AC Dike per City STD. 315 34 Furnish/Install Detector Loop 35 Furnish and install #5 pullbox, connect DLC for traffic loops 36 Furnish and install 2" conduit under sidewalk panels or as shown. Connection Type as Shown 37 Furnish and install 2" conduit under sidewalk panels (jack & bore). Connection Type as Shown 38 Furnish and install DLC. Connect loops to existing traffic cabinet 39 Wet Sandblast/Remove Existing Pavement Markings on bridge deck 40 Pavement Striping Detail 12 41 Pavement Striping Detail 22 42 Pavement Striping Detail 25 43 Pavement Striping Detail 25 44 Pavement Striping Detail 27B 45 Pavement Striping Detail 32 46 Pavement Striping Detail 32 46 Pavement Striping Detail 37B 47 Pavement Striping Detail 37B 48 Pavement Striping Detail 39 49 Pavement Striping Detail 39 40 Pavement Striping Detail 39 41 Pavement Striping Detail 39 42 Pavement Striping Detail 39 43 Pavement Striping Detail 39 44 Pavement Striping Detail 39 45 Pavement Striping Detail 39 46 Pavement Striping Detail 39 47 Pavement Striping Detail 39 48 Pavement Striping Detail 39 49 Pavement Striping Detail 39 40 Pavement Striping Detail 39 41 Pavement Striping Detail 39 42 Pavement Striping Detail 39 43 Pavement Striping Detail 39 44 Pavement Striping Detail 39 45 Pavement Striping Detail 39 46 Pavement Striping Detail 39 47 Pavement Striping Detail 39 48 Pavement Striping Detail 39 49 Pavement Striping Detail 39 40 Pavement Striping Operal 40 512 LF 51 Pavement Striping 6" Solid White Lane Line 52 Pavement Striping 6" Solid White Diagonals 54 Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow 55 Thermoplastic Pavement Marking "SIGNAL" and 400 "AHEAD" 56 Thermoplastic Pavement Marking "SIGNAL" and 400 "AHEAD"				TON	
33 Construct 6" AC Dike per City STD. 315 3,462 LF 34 Furnish/Install Detector Loop 153 EA 35 Furnish and install #5 pullbox, connect DLC for traffic loops 11 EA 36 Furnish and install 2" conduit under sidewalk panels or as shown . Connection Type as Shown LF 37 Furnish and install 2" conduit under sidewalk panels (jack & bore). Connection Type as Shown LF 38 Furnish and install DLC. Connect loops to existing traffic cabinet LF 39 Wet Sandblast/Remove Existing Pavement Markings on bridge deck LF 40 Pavement Striping Detail 12 11,554 LF 41 Pavement Striping Detail 22 4,266 LF 42 Pavement Striping Detail 25 2,218 LF 43 Pavement Striping Detail 27B 5,446 LF 44 Pavement Striping Detail 39 9,324 LF 45 Pavement Striping Detail 32 862 LF 46 Pavement Striping Detail 37B 688 LF 47 Pavement Striping Detail 38 5,506 LF 48 Pavement Striping Detail 39 8,680 LF 49 Pavement Striping Detail 39 8,680 LF 50 Thermoplastic Striping Detail 40 512 LF 51 Pavement Striping Detail 40 512 LF 52 Pavement Striping Detail 40 512 LF 53 Paint Pavement Striping 6" Solid White Lane Line 1,950 LF 54 Painted Bike Lane Symbol with Person Pavement Marking 456 and Bike Lane Arrow SF	32	•	1,636	TON	
34 Furnish/Install Detector Loop 35 Furnish and install #5 pullbox, connect DLC for traffic loops 36 Furnish and install 2" conduit under sidewalk panels or as shown. Connection Type as Shown 37 Furnish and install 2" conduit under sidewalk panels or as shown. Connection Type as Shown 38 Furnish and install DLC. Connect loops to existing traffic cabinet 39 Wet Sandblast/Remove Existing Pavement Markings on bridge deck 40 Pavement Striping Detail 12 41 Pavement Striping Detail 22 42 Pavement Striping Detail 25 43 Pavement Striping Detail 27B 44 Pavement Striping Detail 27B 55 Pavement Striping Detail 38 688 LF 688 LF 78 Pavement Striping Detail 39 688 LF 79 Pavement Striping Detail 39 688 LF 689 Pavement Striping Detail 39 680 LF 680 L	33	· •	3 462		
Section					
36 Furnish and install 2" conduit under sidewalk panels or as shown . Connection Type as Shown 37 Furnish and install 2" conduit under sidewalk panels (jack & bore). Connection Type as Shown 38 Furnish and install DLC. Connect loops to existing traffic cabinet 39 Wet Sandblast/Remove Existing Pavement Markings on bridge deck 40 Pavement Striping Detail 12 41 Pavement Striping Detail 22 42 Pavement Striping Detail 25 43 Pavement Striping Detail 27B 44 Pavement Striping Detail 29 45 Pavement Striping Detail 32 46 Pavement Striping Detail 37B 47 Pavement Striping Detail 38 48 Pavement Striping Detail 39 49 Pavement Striping Detail 39 49 Pavement Striping Detail 39 49 Pavement Striping Detail 39 50 Thermoplastic Striping Detail 40 51 Pavement Striping 12" Solid White Lane Line 51 Pavement Striping 12" Solid White Line (Diagonals for bike lane buffer) 54 Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow 55 Thermoplastic Pavement Marking "SIGNAL" and "AHEAD" 56 Furnish and install 2" conduit under sidewalk panels (jack & box bloom LF 56 Thermoplastic Pavement Marking "SIGNAL" and bloom LF 57 Pavement Pavement Marking "SIGNAL" and length and					
shown . Connection Type as Shown Furnish and install 2" conduit under sidewalk panels (jack & bore). Connection Type as Shown Sturnish and install DLC. Connect loops to existing traffic cabinet Wet Sandblast/Remove Existing Pavement Markings on bridge deck LF Wet Sandblast/Remove Existing Pavement Markings on bridge deck LF Pavement Striping Detail 12 11,554 LF Pavement Striping Detail 22 Pavement Striping Detail 25 As Pavement Striping Detail 27B As Pavement Striping Detail 29 Pavement Striping Detail 32 Security Pavement Striping Detail 32 As Pavement Striping Detail 32 As Pavement Striping Detail 38 Furnish and install 2" conduit under sidewalk panels (jack & br. LF As Pavement Striping Detail 12 LF As Pavement Striping Detail 20 As Pavement Striping Detail 25 As Pavement Striping Detail 27B As Pavement Striping Detail 39 As Pavement Striping Detail 39 As Pavement Striping Detail 38 As Pavement Striping Detail 39 As Pavement Striping Detail 39 As Pavement Striping Detail 39A As Pavement Striping Detail 40 Thermoplastic Striping Detail 40 Thermoplastic Striping 12" Solid White Lane Line As Pavement Striping 12" Solid White Lane Line As Pavement Striping 12" Solid White Line (Diagonals for bike lane buffer) LF As Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow Thermoplastic Pavement Marking "SIGNAL" and As Pavement Paveme				EA	
Section	36		108	LF	
38 Furnish and install DLC. Connect loops to existing traffic cabinet 39 Wet Sandblast/Remove Existing Pavement Markings on bridge deck 40 Pavement Striping Detail 12 41 Pavement Striping Detail 22 42 Pavement Striping Detail 25 43 Pavement Striping Detail 27B 44 Pavement Striping Detail 29 45 Pavement Striping Detail 32 46 Pavement Striping Detail 37B 46 Pavement Striping Detail 37B 47 Pavement Striping Detail 37B 48 Pavement Striping Detail 39 49 Pavement Striping Detail 39 49 Pavement Striping Detail 39A 40 Pavement Striping Detail 39A 51 Pavement Striping Detail 39A 52 Pavement Striping 6" Solid White Lane Line 51 Pavement Striping 12" Solid White Diagonals 54 Paint Pavement Striping 6" Solid White Line (Diagonals for bike lane buffer) 54 Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow 55 Thermoplastic Pavement Marking "SIGNAL" and "AHEAD" 56 STATE TO SA	37		80		
cabinet LF 39 Wet Sandblast/Remove Existing Pavement Markings on bridge deck LF 40 Pavement Striping Detail 12 11,554 LF 41 Pavement Striping Detail 22 4,266 LF 42 Pavement Striping Detail 25 2,218 LF 43 Pavement Striping Detail 27B 5,446 LF 44 Pavement Striping Detail 29 9,324 LF 45 Pavement Striping Detail 32 862 LF 46 Pavement Striping Detail 37B 688 LF 47 Pavement Striping Detail 38 5,506 LF 48 Pavement Striping Detail 39 8,680 LF 49 Pavement Striping Detail 39 8,680 LF 50 Thermoplastic Striping Detail 40 512 LF 51 Pavement Striping 12" Solid White Lane Line 1,950 LF 52 Pavement Striping 12" Solid White Diagonals 418 LF 53 Paint Pavement Striping 6" Solid White Line (Diagonals for bike lane buffer) LF 54 Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow SF 55 Thermoplastic Pavement Marking "SIGNAL" and "AHEAD" SF		bore). Connection Type as Shown		LF	
39 Wet Sandblast/Remove Existing Pavement Markings on bridge deck LF	38	Furnish and install DLC. Connect loops to existing traffic	3,337		
bridge deck 40 Pavement Striping Detail 12 41 Pavement Striping Detail 22 42 Pavement Striping Detail 25 43 Pavement Striping Detail 27B 44 Pavement Striping Detail 27B 45 Pavement Striping Detail 32 46 Pavement Striping Detail 32 46 Pavement Striping Detail 37B 47 Pavement Striping Detail 38 48 Pavement Striping Detail 38 48 Pavement Striping Detail 39 48 Pavement Striping Detail 39 49 Pavement Striping Detail 39 50 Thermoplastic Striping Detail 40 51 Pavement Striping Obetail 40 51 Pavement Striping Obetail 40 51 Pavement Striping 12" Solid White Lane Line 52 Pavement Striping 12" Solid White Diagonals 53 Paint Pavement Striping 6" Solid White Line (Diagonals for bike lane buffer) 54 Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow 55 Thermoplastic Pavement Marking "SIGNAL" and "AHEAD" 56 SF		10pc/1000b300c/3/2		LF	
40 Pavement Striping Detail 12 41 Pavement Striping Detail 22 4,266 LF 42 Pavement Striping Detail 25 43 Pavement Striping Detail 27B 44 Pavement Striping Detail 27B 5,446 LF 45 Pavement Striping Detail 29 46 Pavement Striping Detail 37B 46 Pavement Striping Detail 37B 47 Pavement Striping Detail 38 48 Pavement Striping Detail 38 49 Pavement Striping Detail 39 40 Pavement Striping Detail 39 418 Pavement Striping Detail 40 51 Pavement Striping Detail 40 51 Pavement Striping 6" Solid White Lane Line 52 Pavement Striping 12" Solid White Diagonals 53 Paint Pavement Striping 6" Solid White Line (Diagonals for bike lane buffer) 54 Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow 55 Thermoplastic Pavement Marking "SIGNAL" and "AHEAD" 56 SF	39		1,505	IE	
41 Pavement Striping Detail 22 4,266 LF 42 Pavement Striping Detail 25 43 Pavement Striping Detail 27B 5,446 LF 44 Pavement Striping Detail 29 45 Pavement Striping Detail 32 46 Pavement Striping Detail 37B 47 Pavement Striping Detail 38 48 Pavement Striping Detail 38 49 Pavement Striping Detail 39 40 Pavement Striping Detail 39 418 Pavement Striping Detail 39A 42,420 LF 49 Pavement Striping Detail 39A 40 Experiment Striping Detail 40 512 LF 51 Pavement Striping 6" Solid White Lane Line 52 Pavement Striping 12" Solid White Diagonals 53 Paint Pavement Striping 6" Solid White Diagonals 54 Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow 55 Thermoplastic Pavement Marking "SIGNAL" and "AHEAD" 56 SF	40		11 554		
42Pavement Striping Detail 252,218LF43Pavement Striping Detail 27B5,446LF44Pavement Striping Detail 299,324LF45Pavement Striping Detail 32862LF46Pavement Striping Detail 37B688LF47Pavement Striping Detail 385,506LF48Pavement Striping Detail 398,680LF49Pavement Striping Detail 39A2,420LF50Thermoplastic Striping Detail 40512LF51Pavement Striping 6" Solid White Lane Line1,950LF52Pavement Striping 12" Solid White Diagonals418LF53Paint Pavement Striping 6" Solid White Line (Diagonals for bike lane buffer)543LF54Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane ArrowSF55Thermoplastic Pavement Marking "SIGNAL" and "AHEAD"SF					
43 Pavement Striping Detail 27B 44 Pavement Striping Detail 29 45 Pavement Striping Detail 32 46 Pavement Striping Detail 37B 47 Pavement Striping Detail 38 48 Pavement Striping Detail 39 48 Pavement Striping Detail 39 49 Pavement Striping Detail 39A 50 Thermoplastic Striping Detail 40 51 Pavement Striping 6" Solid White Lane Line 51 Pavement Striping 12" Solid White Diagonals 52 Pavement Striping 12" Solid White Diagonals 53 Paint Pavement Striping 6" Solid White Line (Diagonals for bike lane buffer) 54 Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow 55 Thermoplastic Pavement Marking "SIGNAL" and "AHEAD" 57 SF					
44 Pavement Striping Detail 29 45 Pavement Striping Detail 32 46 Pavement Striping Detail 37B 47 Pavement Striping Detail 38 48 Pavement Striping Detail 39 48 Pavement Striping Detail 39 49 Pavement Striping Detail 39A 5,506 49 Pavement Striping Detail 39A 5,506 40 LF 41 Pavement Striping Detail 39A 5,506 41 Pavement Striping Detail 39A 5,506 42 LF 43 Pavement Striping Detail 39A 5,506 44 Pavement Striping Detail 39A 5,506 5,506 4,500					
45 Pavement Striping Detail 32 46 Pavement Striping Detail 37B 47 Pavement Striping Detail 38 48 Pavement Striping Detail 39 49 Pavement Striping Detail 39A 50 Thermoplastic Striping Detail 40 51 Pavement Striping 6" Solid White Lane Line 52 Pavement Striping 12" Solid White Diagonals 53 Paint Pavement Striping 6" Solid White Line (Diagonals for bike lane buffer) 54 Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow 55 Thermoplastic Pavement Marking "SIGNAL" and "AHEAD" 56 SF					
46 Pavement Striping Detail 37B 47 Pavement Striping Detail 38 48 Pavement Striping Detail 39 49 Pavement Striping Detail 39A 50 Thermoplastic Striping Detail 40 512 LF 51 Pavement Striping 6" Solid White Lane Line 72 Pavement Striping 12" Solid White Diagonals 73 Paint Pavement Striping 6" Solid White Line (Diagonals for bike lane buffer) 74 Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow 75 Thermoplastic Pavement Marking "SIGNAL" and "AHEAD" 76 Pavement Striping 19 Pavement Marking "SIGNAL" and 19 Pavement Marking "S					
47 Pavement Striping Detail 38 48 Pavement Striping Detail 39 49 Pavement Striping Detail 39A 50 Thermoplastic Striping Detail 40 51 Pavement Striping 6" Solid White Lane Line 70 Pavement Striping 12" Solid White Diagonals 71 Pavement Striping 12" Solid White Diagonals 72 Pavement Striping 12" Solid White Diagonals 73 Paint Pavement Striping 6" Solid White Line (Diagonals for bike lane buffer) 74 Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow 75 Thermoplastic Pavement Marking "SIGNAL" and Wind Head Spiral		1 2			
48 Pavement Striping Detail 39 49 Pavement Striping Detail 39A 50 Thermoplastic Striping Detail 40 512 LF 51 Pavement Striping 6" Solid White Lane Line 52 Pavement Striping 12" Solid White Diagonals 53 Paint Pavement Striping 6" Solid White Line (Diagonals for bike lane buffer) 54 Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow 55 Thermoplastic Pavement Marking "SIGNAL" and "AHEAD" 56 SF		1 0			
49 Pavement Striping Detail 39A 50 Thermoplastic Striping Detail 40 51 Pavement Striping 6" Solid White Lane Line 51 Pavement Striping 12" Solid White Diagonals 52 Pavement Striping 12" Solid White Diagonals 53 Paint Pavement Striping 6" Solid White Line (Diagonals for bike lane buffer) 54 Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow 55 Thermoplastic Pavement Marking "SIGNAL" and "AHEAD" 56 SF					
50 Thermoplastic Striping Detail 40 51 Pavement Striping 6" Solid White Lane Line 52 Pavement Striping 12" Solid White Diagonals 53 Paint Pavement Striping 6" Solid White Line (Diagonals for bike lane buffer) 54 Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow 55 Thermoplastic Pavement Marking "SIGNAL" and "AHEAD" 56 SF					
51 Pavement Striping 6" Solid White Lane Line 1,950 LF 52 Pavement Striping 12" Solid White Diagonals 418 LF 53 Paint Pavement Striping 6" Solid White Line (Diagonals for bike lane buffer) LF 54 Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow SF 55 Thermoplastic Pavement Marking "SIGNAL" and "AHEAD" SF					
52 Pavement Striping 12" Solid White Diagonals 53 Paint Pavement Striping 6" Solid White Line (Diagonals for bike lane buffer) 54 Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow 55 Thermoplastic Pavement Marking "SIGNAL" and "AHEAD" 56 SF					
53 Paint Pavement Striping 6" Solid White Line (Diagonals for bike lane buffer) 54 Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow 55 Thermoplastic Pavement Marking "SIGNAL" and "AHEAD" 58 SF					
bike lane buffer) 54 Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow 55 Thermoplastic Pavement Marking "SIGNAL" and "AHEAD" SF				LF	
54 Painted Bike Lane Symbol with Person Pavement Marking and Bike Lane Arrow SF 55 Thermoplastic Pavement Marking "SIGNAL" and "AHEAD" SF	53		543	LF	
and Bike Lane Arrow SF 55 Thermoplastic Pavement Marking "SIGNAL" and 400 "AHEAD" SF	54		456		
"AHEAD" SF]]]	·	150	SF	
	55	1	400	SF	
	56	Thermoplastic Pavement Marking "KEEP" and "CLEAR"	400	SF	
57 Thermoplastic Pavement Marking "STOP" 50 SF			50	SF	
58 Thermoplastic Pavement Marking (Type IV Arrow) 1,742 SF	58		1,742	SF	
59 Thermoplastic Pavement Marking (Type VII Arrow) 30 SF	59		30	SF	
60 Thermoplastic Pavement Marking (Type VI Arrow) 72 SF			72	SF	

PROPOSAL P-3 6/24/2025

TEM NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT	TOTAL ITEM
61	Thermoplastic Pavement Marking (Type I Arrow)	48	SF	TRIOL	THOL
62	Thermoplastic Pavement Marking (12" White)	2,493	SF	1	
63	Thermoplastic Pavement Marking (12" Yellow)	184	SF	1	
64	Install Sign Type R3-7®	1	EA	1	
65	Install Sign Type R7-9(MOD)	4	EA	1	
66	Install Type Q (CA) Object Markers with White Retroreflective Sheeting	56	EA		
67	8" Yellow Raised Pavement Markers @2.5' spacing	180	LF	1	
68	Paint Median Nose Yellow	120	SF		
	OITIVE BID ITEMS:				
\DD	Double Adjust Manhole (EMWD)	10	EA		
DE	Double Adjust Manhole (EMWD)	10	EA EA		
(DC)	Double Adjust Manhole (EMWD) Single Adjust Manhole (EMWD)			-	
69 70 71	Double Adjust Manhole (EMWD) Single Adjust Manhole (EMWD) Double Adjust Manhole (GTE)	9	EA	-	
69 70 71 72	Double Adjust Manhole (EMWD) Single Adjust Manhole (EMWD)	9 2	EA EA	-	
69 70 71 72 73	Double Adjust Manhole (EMWD) Single Adjust Manhole (EMWD) Double Adjust Manhole (GTE) Single Adjust Manhole (GTE) Double Adjust Manhole (SCE) TOTAL ADDITIVE BID: \$	9 2 4 3	EA EA		
69 70 71 72 73	Double Adjust Manhole (EMWD) Single Adjust Manhole (EMWD) Double Adjust Manhole (GTE) Single Adjust Manhole (GTE) Double Adjust Manhole (SCE)	9 2 4 3	EA EA		
70 71 72 73	Double Adjust Manhole (EMWD) Single Adjust Manhole (EMWD) Double Adjust Manhole (GTE) Single Adjust Manhole (GTE) Double Adjust Manhole (SCE) TOTAL ADDITIVE BID: \$ SL AMOUNT OF ADDITIVE BID (WORDS):	9 2 4 3	EA EA		
69 70 71 72 73	Double Adjust Manhole (EMWD) Single Adjust Manhole (EMWD) Double Adjust Manhole (GTE) Single Adjust Manhole (GTE) Double Adjust Manhole (SCE) TOTAL ADDITIVE BID: \$	9 2 4 3	EA EA		

Basis of the bid shall be based upon the sum of the Total Base Bid Items and all Additive Bid Items.

The City reserves the right to reject any or all bids.

The City reserves the right to choose or reject any of the Additive Bid Items.

The unit price or lump sum prices to be paid for the items listed in the Proposal Bid Sheet shall include full compensation for furnishing all labor, materials, tools, and equipment, and doing all work involved in furnishing and installing the materials complete and in place, in accordance with the details as shown on the plans and as specified herein. Any items shown on the plans, but not included in the bid items, shall be considered as appurtenant items. All costs shall be included within the appropriate item of the Contractor's bid.

PROPOSAL P-4 6/24/2025

BID SCHEDULE

LOS ALAMOS ROAD, ANTELOPE ROAD, AND ELM STREET PAVEMENT REHABILITATION:
CIP NO. 13047, CITY PROJECT NO. 23-478

Addendum(a) No(s). has/have bee	n received and is/are included in this proposal.
REJECTION OF BIDS	
The undersigned agrees that City reserves the right waive informalities in a bid or bids not affected by la	to reject any or all bids, and reserves the right to w, if to do so seems to best serve the public interest.
TIME The Contract and Proposal documents shall be signed electronic proposal. Two wet-signed copies of the insurance certificates shall be provided to the City opening. Signatures shall comply with Section 17 of the Contract bonds, within ten (10) calendar days at	Project Manager within three (3) days of the bid the Contract. The successful bidder shall submit
BID DEPOSIT There is enclosed herewith, a certified check or surety 10% BID BOND	dollars and
agrees that in case of his failure to execute the necess certified check or surety bond, the money payable the) made payable to City and the undersigned sary Contract and furnish the required bonds, the ereon, shall be and remain the property of City.
The undersigned hereby certifies that he will have California to provide this work; that such license will of construction; and that any and all subcontractors licensed.	be in full force and effect throughout the duration
Dated: 07/15/2025	CONTRACTOR
782908 CLASS A & C12	X Styling
California Contractor's License No.	Signature O
	STEVEN L. MENDOZA, VICE PRESIDENT Print or Type Name and Title
	714-616-2305 Telephone Number

SUBCONTRACTORS LIST

LOS ALAMOS ROAD, ANTELOPE ROAD, AND ELM STREET PAVEMENT REHABILITATION: CIP NO. 13047, CITY PROJECT NO. 23-478

As required by California State Law, the General Contractor bidding will hereinafter state the subcontractor who will be the subcontractor on the job for each particular trade or subdivision of the work in an amount in excess of one-half of one percent (0.5%) of the General Contractor's total bid and will state the firm name and California contractor license number. If a General Contractor fails to specify a subcontractor, or if he specifies more than one (1) subcontractor for the same portion of work to be performed under the Contract in excess of one-half of one percent (0.5%), he agrees that he is fully qualified to perform that portion himself and that he shall perform that portion himself.

The Subcontractor List shall be provided with the online electronic proposal on the PlanetBids Vendor Portal as defined in the Instructions to Bidders. The signature below indicates the Subcontractor's List presented online is in compliance with the instructions herein.

Signature of Bidder

STEVEN L. MENDOZA, VICE PRESIDENT

STATEMENT OF TECHNICAL ABILITY AND EXPERIENCE

LOS ALAMOS ROAD, ANTELOPE ROAD, AND ELM STREET PAVEMENT REHABILITATION: CIP NO. 13047, CITY PROJECT NO. 23-478

The bidder is required to state what work of a similar character to that included in the proposed Contract he has successfully performed, especially for public agencies, and give references that will enable City to judge his responsibility, experience, skill, and business and financial standing. Detail any involvement, past or current, relative to litigation or other disputes, if any, concerning your performance.

agr
NO CURRENT OR PAST LITIGATIONS TO DISCLOSE
PLEASE SEE THE ATTACHED LIST OF PROJECTS COMPLETED TO DATE
x 82Mms
Signature of Bidder STEVEN L. MENDOZA, VICE PRESIDENT

PROPOSAL P-7 6/24/2025



CITY OF HUNTINGTON BEACH

2000 MAIN STREET HUNTINGTON BEACH, CA 92648

BANNING AVENUE STREET IMPTS CC-1711
JOE FUENTES CM, jfuentes@surfcity-hb.org 714-536-5259

CONTRACT \$3,487,004.00 ENDING CONTRACT \$3,631,842.85 DURATION OF PROJECT AUGUST 2023-APRIL 2024

CITY OF GARDEN GROVE

11222 ACACIA PARKWAY GARDEN GROVE, CA 92842

2023/24 CDBG RESIDENTIAL REHABILITATION CP 1362023 RAUL LEYVA CM, raull@ggcity.org 714-741-5385

CONTRACT \$1,213,545.00 ENDING CONTRACT \$1,216,489.05 DURATION OF PROJECT AUGUST 2023-JUNE 2024

CITY OF FOUNTAIN VALLEY

10200 SLATER AVENUE FOUNTAIN VALLEY, CA 92708

REHABILITATION AND RESURFACING OF HEIL AVE FROM EUCLID ST TO HARBOR BLVD & WARD STREET FATANA TEMORY fatana.temory@fountainvalley.org 714-593-4433

CONTRACT \$1,738,521.88 ENDING CONTRACT \$1,808,373.06 DURATION OF PROJECT AUGUST 2023-JUNE 2024



CITY OF NORWALK 12700 NORWALK BLVD NORWALK, CA 90651

LOCAL STREET PROGRAM ZONE 3 PROJECT NO. 7927.2 DELFINO "CHINO" CONSUJI OF ONWARD ENGINEERING dconsuji@oe-eng.com 714-686-8911

CONTRACT \$5,048,646.20 ENDING CONTRACT \$5,050,965.41 DURATION OF PROJECT SEPTEMBER 2023 - MARCH 2024

CITY OF CYPRESS

5275 ORANGE AVE CYPRESS, CA 90630

RESIDENTIAL STREET RESURFACING PROJECT 349
KEVIN CHIN, ASSOCIATE ENGINEER kchin@cypressca.org 714-229-6759

CONTRACT \$1,097,650.11 ENDING CONTRACT \$1,097,650.11 DURATION OF PROJECT MARCH 2024-JUNE 2024



CITY OF SAN JUAN CAPISTRANO

32400 PASEO ADELANTO,

SAN JUAN CAPISTANO, CA 92675

PAUL MESHKIN 949-443-6350 Pmeshkin@sanjuancapistrano.org

PAVEMENT REHABILITATION
CAMINO CAPISTRANO REHABILITATION CIP 19102

OCTOBER 2022- SEPTEMBER 2023 \$8,377,888.32-\$9,443,383.69 START OF CONTRACT-END OF CONTRACT

CITY OF GARDEN GROVE

13802 NEWHOPE STREET GARDEN GROVE, CA 92843

NICK HSIEH 714-741-5190 nhsieh@ggcity.org

VARIOUS STREET REHABILITATION 2022, VARIOUS LOCATION THROUGHOUT THE CITY OF GARDEN GROVE.

SEPTEMBER 2022- JULY 2023 \$4,971,340.00 - \$5,115,253.71 START OF CONTRACT-END OF CONTRACT

CITY OF PICO RIVERA

6615 PASSONS BLVD PICO RIVERA, CA 90660

GERALD MONTGOMERY 562-801-4350 gmontgomery@pico-rivera.org

PAVEMENT REHABILITATION OVERLAY & RECONSTRUCTION PROJECT NO 50048

FEBRUARY 2022- APRRIL 2023 \$8,815,145.00- \$9,003,616.61 START OF CONTRACT-END OF CONTRACT



CITY OF LAKEWOOD

5050 CLARK AVENUE LAKEWOOD, CA 90712

MAX WITHROW 562-866-9771 MWithrow@lakewoodcity.org

MAJOR & COLLECTOR STREET PAVING FY 22 VARIOUS LOCATIONS IN THE CITY OF LAKEWOOD

MARCH 2022- FEBRUARY 2023 \$4,455,840.00 - \$4,710,978.74 START OF CONTRACT-END OF CONTRACT

COUNTY OF LOS ANGELES

900 SOUTH FREMONT AVENUE ALHAMBRA, CALIFORNIA 91803-1331

AARON MIANK 714-720-9535 AMiank@dpw.lacounty.gov

PROJECT ID NO. RMD4408002 SOUTH WHITTIER SUNSHINE ACRES-LELAND AVENUE, ET AL

OCTOBER 2022-SEPTEMBER 2023 \$6,682,268.86 – \$6,711,197.68 START OF CONTRACT-END OF CONTRACT

CITY OF MORENO VALLEY

14177 FREDERICK STREET MORENO VALLEY, CA 92552

CHRIS A VOGT 951-616-4925 cvogt@cavconsultinggroup.com

CITYWIDE PAVEMENT REHABILITATION PROGRAM 22/23 ARTERIAL & COLLECTOR STREETS PH 2 8010097

DECEMBER 2022- OCTOBER 2023 \$18,772,997.50 - \$18,970,610.86 START OF CONTRACT-END OF CONTRACT

BIDDER'S STATEMENT OF PAST CONTRACT DISQUALIFICATIONS

LOS ALAMOS ROAD, ANTELOPE ROAD, AND ELM STREET PAVEMENT REHABILITATION: CIP NO. 13047, CITY PROJECT NO. 23-478

The bidder is required to state any and all instances of being disqualified, removed, or otherwise prevented from bidding on or completing any contract for construction.

1.	Have yo	ou ever been disqualified from any contract?
	Yes	No XXX
2.	If yes, e	explain the circumstances:
		N/A
	e.	
	,	
	1	
	Į.	
		v 87Mmea
	34	X Signature of Bidder
		STEVEN L. MENDOZA, VICE PRESIDENT

NON-COLLUSION AFFIDAVIT

LOS ALAMOS ROAD, ANTELOPE ROAD, AND ELM STREET PAVEMENT REHABILITATION:
CIP NO. 13047, CITY PROJECT NO. 23-478

State of California

Orange County
Commission # 2486732
My Comm. Expires Apr 12, 2028

County of ORANGE)
The undersigned declares: STEVEN L. MENDOZA I am the VICE PRESIDENT of R.J. NOBLE COMPANY, the party making the foregoing bid. The bid is not made in the interest of, or on behalf of, any undisclosed person, partnership, company, association, organization, or corporation. The bid is genuine and not collusive or sham. The bidder has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid. The bidder has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or to refrain from bidding. The bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of the bid price, or of that of any other bidder. All statements contained in the bid are true. The bidder has not, directly or indirectly, submitted his or her bid price or any breakdown thereof, or the contents thereof, or divulged the information or data relative thereto, to any corporation, partnership, company, association, organization, bid depository, or any member or agent thereof, to effectuate a collusive or sham bid, and has not paid, and will not pay, any person or entity for such purpose.
Any person executing this declaration on behalf of a bidder that is a corporation, partnership, joint venture, limited liability company, limited liability partnership, or any other entity, hereby represents that he or she has full power to execute, and does execute, this declaration on behalf of the bidder.
I declare under penalty of perjury under the laws of the State of California that the foregoing is true and correct and that this declaration is executed on O7/15/25, at ORANGE CALIFORNIA State City
X Jadelin Piohin Notary PublicJADELIN PIOHIA By: X Styllar STEVEN L. MENDOZA, VICE PRESIDENT Title
Date: 07/15/2025

BIDDER'S AGREEMENT

LOS ALAMOS ROAD, ANTELOPE ROAD, AND ELM STREET PAVEMENT REHABILITATION:
CIP NO. 13047, CITY PROJECT NO. 23-478

The undersigned also agrees as follows:

FIRST: Execute the Contract, scan, and submit with the online electronic proposal.

SECOND: Within **ten (10) calendar days** from the receipt of the Notice of Award of Contract, furnish to City, two (2) satisfactory bonds in the amounts specified in the Notice Inviting Bids guarantying the faithful performance of the work and payment of bills.

THIRD: To begin work on the date specified in the Notice to Proceed, September 16th, 2024.

Accompanying this proposal is cash, a cashier's check, a certified check, or a bidder's bond for not less than ten percent (10%) of the total amount of the bid payable to City which is to be forfeited, as liquidated damages, if, in the event Contractor does not execute the Contract and furnish satisfactory bonds under the conditions and within the time specified in this proposal, otherwise said cash, cashier's check, certified check, or bidder's bond is to be returned to the undersigned. Within fifteen (15) calendar days after award of this Contract, City will return the bidder's bond accompanying such proposal not considered in making the award. All other bidder's bonds will be held until the Contract has been finally executed; they will then be returned to the bidders whose proposals they accompany.

R	.J. NOBLE COMPANY		
	BIDDER'S NAME		
15505 E. LINCOLN AVE., O	RANGE, CA 92865		
	BIDDER'S ADDRESS		
	is a corporation, state legal name of corporation, state true name of firm and names of all in full. AUSTIN M. CARVER, PRES	individual co	
Officer's Signature	Title	Date	
x	JENNIFER M. VEGA, SECRE	TARY	07/15/2025
Officer's Signature	Title	Date	*
X	JAMES N. DUCOTE, C.F.O.		07/15/2025
Officer's Signature	Title	Date	

Signature and title of the officer(s) set forth above shall be authorized to sign contracts on behalf of the corporation, copartnership, or individual. If signature is by an agent, other than an officer of the corporation or a member of a partnership, a Power of Attorney must be on file with City prior to or at time of bid opening; otherwise, the bid will be subject to rejection by City Council.

RELIABLE CONTRACTOR DECLARATION (CALRECYCLE FORM 168) FOR

LOS ALAMOS ROAD, ANTELOPE ROAD, AND ELM STREET PAVEMENT REHABILITATION:
CIP NO. 13047, CITY PROJECT NO. 23-478

See next page

STATE OF CALIFORNIA

DEPARTMENT OF RESOURCES RECYCLING AND RECOVERY (CalRecycle)

RELIABLE CONTRACTOR DECLARATION

CalRecycle 168 (Revised 9/16)

This form must be completed and submitted to the Department of Resources Recycling and Recovery (CalRecycle) prior to authorizing a contractor(s) to commence work. Failure to provide this documentation in a timely manner may result in nonpayment of funds to the contractor(s).

This form is intended to help the CalRecycle's Grantees comply with the Reliable Contractor Declaration (formerly Unreliable List) requirement of their Terms and Conditions.

The Reliable Contractor Declaration (formerly Unreliable List) provision requires the following: Prior to authorizing a contractor(s) to commence work under the Grant, the Grantee shall submit to CalRecycle a declaration signed under penalty of perjury by the contractor(s) stating that within the preceding three (3) years, none of the events listed in Section 17050 of Title 14, California Code of Regulations, Natural Resources, Division 7, has occurred with respect to the contractor(s). Please see the reverse of this page, or refer to the California Code of Regulations (www.calregs.com).

If any of the events listed in Section 17050 have occurred, disclosure is required but will not necessarily result in CalRecycle refusing to approve the contractor. A signed statement explaining the facts and circumstances of the events must be attached to and submitted with this form.

Contractor: Complete the form and send original to the Grantee.

Grantee: Scan the form and upload it to the grant in CalRecycle's Grant Management System. For further instruction about logging into the Grant Management System and uploading this form, reference the Procedures and Requirements. Retain the original form in your grant file.

GRANTEE INFORMATION	
GRANTEE NAME:	GRANT NUMBER:
City of Murrieta	TRP16-23-0020
PRIMARY CONTACT NAME:	
Garrett Strang	
CONTRACTOR INFORMATION	
CONTRACTOR NAME:	
R.J. NOBLE COMPANY	
AUTHORIZED CONTRACTOR REPRESENTATIV	E NAME:
STEVEN L. MENDOZA, VICE PRES	SIDENT
MAILING ADDRESS:	
P.O. BOX 620, ORANGE, CA 92856	
under the laws of the State of California th	nove identified contractor, I declare under penalty of perjury nat within the preceding three (3) years, none of the events nia Code of Regulations, Natural Resources, Division 7, has ied contractor.
penalty of perjury under the laws of the St any of the events listed in Section 17050 of Resources, Division 7, has occurred with	stative of the above identified contractor, I declare under tate of California that within the preceding three (3) years, if of Title 14, California Code of Regulations, Natural respect to the above identified contractor, I have disclosed d statement that explains the facts and circumstances of

STEVEN L'MENDOZA, VICE PRESIDENT

Signature

Date

07/15/2025

STATE OF CALIFORNIA

DEPARTMENT OF RESOURCES RECYCLING AND RECOVERY (CalRecycle)

RELIABLE CONTRACTOR DECLARATION

CalRecycle 168 (Revised 9/16)

Title 14 CCR, Division 7, Chapter 1 Article 5. Unreliable Contractors, Subcontractors, Borrowers and Grantees Section 17050. Grounds for Placement on Unreliable List

The following are grounds for a finding that a contractor, any subcontractor that provides services for a CalRecycle agreement, grantee or borrower is unreliable and should be placed on the CalRecycle Unreliable Contractor, Subcontractor, Grantee or Borrower List ("Unreliable List"). The presence of one of these grounds shall not automatically result in placement on the Unreliable List. A finding must be made by the Executive Director in accordance with section 17054, and there must be a final decision on any appeal that may be filed in accordance with section 17055 et seq.

(a) Disallowance of any and/or all claim(s) to CalRecycle due to fraudulent claims or reporting; or

(b) The filing of a civil action by the Attorney General for a violation of the False Claims Act, Government Code section 12650 et. seq; or

(c) Default on a CalRecycle loan, as evidenced by written notice from CalRecycle staff provided to the borrower of the default; or

(d) Foreclosure upon real property loan collateral or repossession of personal property loan collateral by CalRecycle; or

(e) Filing voluntary or involuntary bankruptcy, where there is a finding based on substantial evidence, that the bankruptcy interfered with the CalRecycle contract, subcontract, grant or loan; or

(f) Breach of the terms and conditions of a previous CalRecycle contract, any subcontract for a CalRecycle agreement, grant, or loan, resulting in termination of the CalRecycle contract, subcontract, grant or loan by the CalRecycle or prime contractor; or

(g) Placement on the CalRecycle's chronic violator inventory established pursuant to Public Resources Code section

44104 for any owner or operator of a solid waste facility; or

- (h) The person, or any partner, member, officer, director, responsible managing officer, or responsible managing employee of an entity has been convicted by a court of competent jurisdiction of any charge of fraud, bribery, collusion, conspiracy, or any act in violation of any state or federal antitrust law in connection with the bidding upon, award of, or performance under any CalRecycle contract, subcontract, grant or loan; or
- (i) The person or entity is on the list of unreliable persons or entities, or similar list, of any other federal or California state agency; or

The person or entity has violated an Order issued in accordance with section 18304; or,

(k) The person or entity has directed or transported to, has or accepted waste tires at, a site where the operator is required to have but does not have a waste tire facility permit; or,

(I) The person or entity has transported waste tires without a waste tire hauler registration; or,

(m) The person or entity has had a solid waste facility or waste tire permit or a waste tire hauler registration denied, suspended or revoked; or,

(n) The person or entity has abandoned a site or taken a similar action which resulted in corrective action or the expenditure of funds by CalRecycle to remediate, clean, or abate a nuisance at the site; or

(o) The following are additional grounds for a finding that, a person or entity described below should be placed on the Unreliable List:

(1) The person or entity owned 20% or more of an entity on the Unreliable List at the time of the activity that resulted in its placement on the Unreliable List;

(2) The person held the position of officer director, manager, partner, trustee, or any other management position with significant control (Principal Manager) in an entity on the Unreliable List at the time of the activity that resulted in its placement on the Unreliable List;

(3) The entity includes a Principal Manager who:

 Was a Principal Manager in an entity on the Unreliable List at the time of the activity that resulted in its placement on the Unreliable List; or,

Owned 20% or more of an entity on the Unreliable List at the time of the activity that resulted in its placement on the Unreliable List;

(4) The entity has a person who owns 20% or more of the entity, if that person:

- 1. Was a Principal Manager in an entity on the Unreliable List at the time of the activity that resulted in its placement on the Unreliable List; or,
- Owned 20% or more of an entity on the Unreliable List at the time of the activity that resulted in its placement on the Unreliable List.
- (5) The entity has another entity which owns 20% or more of the entity, if that other entity:

1. Is on the Unreliable List; or,

- 2. Owned 20% or more of an entity on the Unreliable List at the time of the activity that resulted in its placement on the Unreliable List.
- (6) Subsection (o) is not intended to apply to a person or entity that purchases or otherwise obtains an entity on the Unreliable List subsequent to its placement on the Unreliable List.

STATEMENT OF CRUMB RUBBER MATERIAL MANUFACTURED FROM ONLY CALIFORNIA-GENERATED WASTE TIRES

LOS ALAMOS ROAD, ANTELOPE ROAD, AND ELM STREET PAVEMENT REHABILITATION: CIP NO. 13047, CITY PROJECT NO. 23-478

The Contractor or Subcontractor completing the Asphalt Rubber Hot Mix (ARHM) hereby certifies that only California-generated waste tires, processed in California, shall be used in the crumb rubber. Contractor shall provide supporting documentation attached to this form with their bid submission. Acceptable forms of supporting documentation include: Certificate of Origin (if completed by a California Processor), Certificate of Compliance (from crumb rubber supplier), or a Bill of Lading and Manifest documentation for non-California processors.

PLEASE	SEE	THE	ATTACHED	CERTIFICA	TES 0	F	COMPLIANCE
							-
	4						
,							
7/15/2025				F	Зу:	X	Signature)
					•	75	Signatura

STEVEN L. MENDOZA, VICE PRESIDENT (Print Name and Title



R. J. Noble Company 15505 E. Lincoln Avenue Orange, CA 92856

July 8, 2025

CERTIFICATE OF COMPLIANCE

The High Natural Crumb Rubber supplied by CRM Co. LLC to R. J. Noble Company meets the required specifications as found in the section 203-11.2.3.1, and 203-11.2.3.2, tables 203-11.2.3.1(B), and 203-11.2.3.2 of "Green BOOK" Standard Specifications for Public Works Construction, 2021 Edition. Typical Quality Characteristics of the high natural crumb rubber are as follows.

Wire in CRM (% Max):	< 0.01%
Macro fabric in CRM (%Max):	~ 0.05%
CRM specific gravity:	1.15±.05
Rubber Hydrocarbon:	54± 2%
Natural rubber content:	42 ±2 %
Plasticizer (Acetone Extract):	7 ±2%

The following is a typical gradation of the High Natural CRM rubber.

Specification							
Screen	Sample (%Pass) Min.(%pass)						
2.36 mm (#8)							
2.00 mm (10)	100	100	100				
1.18 mm (#16)	100	95	100				
600 µm (#30)	75±2	35	85				
300 μm (#50)	26 ±2	10	30				
150 μm (#100)	3±1	0	4				
75 µm (#200)	1	0	1				

The High Natural Crumb Rubber supplied by CRM Co, LLC is produced from truck tires owned and operated in the State of California and processed by ambient granulation in CRM Co LLC California tire recycling plant (Major Waste Tire Facility Permit TPID No. 1006463, County of Los Angeles).

CRM Co., LLC.

Cristhian Rodriguez
Plant Manager



R. J. Noble Company 15505 E. Lincoln Avenue Orange, CA 9285610

July 9, 2025

Ref:

CERTIFICATE OF COMPLIANCE

The Scrap Crumb Rubber supplied by CRM Co. LLC to R. J. Noble Company, meets the required specifications as found in the section 203-11.2.3.1, and 203-11.2.3.2, tables 203-11.2.3.1(A), and 203-11.2.3.2 of "Green BOOK" Standard Specifications for Public Works Construction, 2021 Edition. Typical Quality Characteristics of the high natural crumb rubber are as follows.

Wire in CRM (% Max):	<0.01%
Macro fiber in CRM (%Max):	~0.05%
CRM specific gravity:	1.15±0.05
Rubber Hydrocarbon:	54 ±2%
Natural rubber content:	28±2%
Plasticizers (Acetone Extract):	12 ±2%
Ash:	5±2%
Carbon Black:	28± 2%

The following is a typical gradation of scrap crumb rubber.

Specification						
Screen	Sample (%Pass)	Min.(%pass)	Max(%Pass)			
2.36 mm (#8)	100	100	100			
2.00 mm (10)	98	98	100			
1.18 mm (#16)	62±2	45	75			
600 µm (#30)	18±2	2	20			
300 µm (#50)	4±2	0	6			
150 µm (#100)	1	0	2			
75 µm (#200)	0	0	0			

The scrap Crumb Rubber supplied by CRM Co., LLC is Produced from whole scrap automobile tires owned and operated in the State of California and processed by ambient granulation in CRM Co., LLC., California tire recycling plant (Major Waste Tire Facility Permit TPID No. 1006463, County of Los Angeles).

CRM Co., LLC.

21 STHIAN & Cristhian Rodriguez
Plant Manager

STATEMENT OF EMULSION AND EMULSION SUPPLIER EXPERIENCE

LOS ALAMOS ROAD, ANTELOPE ROAD, AND ELM STREET **PAVEMENT REHABILITATION:** CIP NO. 13047, CITY PROJECT NO. 23-478

The emulsion and emulsion supplier is required to have documented experience. Provide documentation that the proposed recycling emulsion has been successfully used on at least five (5) other CCPR asphalt projects in California over the past five (5) years, including project name, agency/owner, project engineer, and construction dates.

PLEASE	SEE	THE	ATTACHED	PREPARED	LIST		
			,				
Dated:	07/15	/2025	5			By:	X ST May (Signature)
							STEVEN L. MENDOZA, VICE PRESIDENT

(Print Name and Title)

Ergon Asphalt & Emulsions CIR and CCPR Project Lists

Project: 09-379304 Route 127 near Shoshone

Agency: CalTrans

Project Engineer: Richard Moberly Richard.moberly@dot.ca.gov

Dates: 2023

Project: Ave N

Agency: Los Angeles County

Project Engineer: Mark Pestrella (626-458-4001

mpestrella@dpw.lacounty.gov

Dates: 2021

Project: Saleroso Drive

Agency: Los Angeles County

Project Engineer: Mark Pestrella (626-458-4001

mpestrella@dpw.lacounty.gov

Dates: 2022

Project: Goode Hill Road

Agency: Los Angeles County

Project Engineer: Mark Pestrella (626-458-4001

mpestrella@dpw.lacounty.gov

Dates: 2021

Project: 08-1L6604 Route 2 near Wrightwood

Agency: CalTrans

Project Engineer: Taghreed Al-Khateeb taghreed.al-khateeb@dot.ca.gov

Dates: 2021

STATEMENT OF CCPR CONTRACTOR OR SUBCONTRACTOR EXPERIENCE

LOS ALAMOS ROAD, ANTELOPE ROAD, AND ELM STREET **PAVEMENT REHABILITATION:** CIP NO. 13047, CITY PROJECT NO. 23-478

The Contractor or Subcontractor completing the CCPR work shall have completed a minimum of five (5) CIR asphalt projects in the last five (5) years. Submit project name, agency/owner, project engineer, and construction dates

and cons	ucu	on da	ites.							
PLEASE	SEE	THE	ATTACHED	PREPARED	LIST	PROVIDED	ВЧ	PAVEMENT	RECYCLING	SYSTEM:
									V	
								4		
Dated: 0	7/15/	2025				By:	X (Sign	82MM		
							(51g	nature		
							STF	VEN I. ME	NDOZA, VI	CE PRESIDE

(Print Name and Title)



10240 SAN SEVAINE WAY, JURUPA VALLEY, CA 91752

PHONE: (951) 682-1091 -FAX: (951) 682.1094

The following successful Cold In-place Recycling (CIR) projects have been completed by Pavement Recycling Systems, Inc.:

Project: Date Palm Drive Pavement Rehabilitation

Agency: City of Cathedral City

Project Engineer: Armando Garcia Baldizzone P.E. (760)770-0349

adperez@cathedralcity.gov Dates: November 2023

Project: Mather Field Rehabilitation Project

Agency: City of Rancho Cordova Project Engineer: Ben Chan (916)851-8873

bchan@cityofranchocordova.org

Dates: October 2023

Project: Van Buren Blvd Pavement Rehabilitation Project - Phase 3

Agency: City of Jurupa Valley Project Engineer: Paul Toor (951)332-6464

ptoor@jurupavalley.org Dates: October 2023

Project: Big Tujunga Canyon Rd LA JOC 6712

Agency: Los Angeles County

Project Engineer: Mark Pestrella (626-458-4001

mpestrella@dpw.lacounty.gov

Dates: June 2023

Project: San Fransquito Canyon Rd LA JOC 6714

Agency: Los Angeles County

Project Engineer: Mark Pestrella (626-458-4001

mpestrella@dpw.lacounty.gov

Dates: June 2022

CALIFORNIA AIR RESOURCES BOARD (CARB) ACKNOWLEDGEMENT FORM

LOS ALAMOS ROAD, ANTELOPE ROAD, AND ELM STREET **PAVEMENT REHABILITATION:** CIP NO. 13047, CITY PROJECT NO. 23-478

This is to Certify that							
R.J. NOBLE COMPANY (FILL IN CONTRACTOR'S NAME)							
(hereinafter the "undersigned") acknowledges that they have read and shall comply with the requirements of Title 13: California Code of Regulations, Chapter 9: Off-Road Vehicles and Engines Pollution Control Devices, Article 4.8: In-Use Off-Road Diesel-Fueled Fleets sections 2449, 2449.1, and 2449.2 as described in these provisions. The undersigned shall provide their <i>Certificate of Reported Compliance: In-Use Off-Road Diesel-Fueled Fleets (CARB)</i> with their electronic bid prior to the bid date and time.							
In addition, the undersigned acknowledges that they are responsible for gathering and submitting with their electronic bid any <i>CARB Certificate(s)</i> of <i>Reported Compliance: In-Use Off-Road Diesel-Fueled Fleets</i> for any listed Subcontractors utilizing a fleet that falls under these same provisions prior to the date and time of bid.							
Dated: 07/15/2025 By:	X 87 Muy (Signature)						
(Print Name and Title)	STEVEN L. MENDOZA, VICE PRESIDENT (Print Name and Title)						

P-17 6/24/2025











