

**GENERAL SERVICES ADMINISTRATION**  
**Federal Acquisition Service**

*Authorized Federal Supply Schedule Catalog/Price List*

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!™, a menu-driven database system. The INTERNET address for GSA Advantage!™ is: <http://www.GSAAdvantage.gov>.

**Multiple Award Schedule**  
**Code J: Security & Protection**  
***J05. Security Systems Subcategory***

**SIN 334290L Physical Access Control Systems (PACS) – Legacy SIN**  
**SIN OLM Order Level Materials (OLM)**



**Meridian Rapid Defense Group, LLC.**  
**177 E Colorado Blvd FL 2**  
**Pasadena, CA 91105-1986**

**Phone: 626-204-6402**  
**Fax: 626-628-2134**

**<http://www.betterbarriers.com>**

**Contract Number:** 47QSWA19D001F  
**Period Covered by Contract:** November 19, 2023 through November 18, 2028  
**Business Size:** Small Business

**Contract Administrator:** James Miller  
**Phone:** (626) 204-6402  
**Email:** [jmiller@betterbarriers.com](mailto:jmiller@betterbarriers.com)

Pricelist current through Modification #PS-0033, effective February 18, 2026



## ABOUT MERIDIAN RAPID DEFENSE GROUP

Meridian Rapid Defense Group LLC (“MERIDIAN”) is a privately held limited liability company (LLC) in operation for nearly two decades. Meridian engineers and manufactures mobile barrier solutions that keep people, communities, and places safer from hostile and errant vehicle intrusions. Our company provides unique security solutions for perimeters that are modular by design with technology and equipment tested and certified to the highest standards. All of MERIDIAN’s technology and equipment is mobile with the ability to be transported from one location to another and deployed by one person using our patented Hauler, requiring no heavy equipment or machinery. This level of mobility brings great flexibility when securing a perimeter, allowing for rapid layout changes to meet dynamic security concerns.

The Archer 1200 Barrier is the center point barrier of the MERIDIAN anti-terrorism vehicle mitigation and prevention solution to vehicle ramming attacks and all other vehicle intrusion situations. The Archer 1200 Barriers may be configured in various numbers and patterns and may be connected with Arrestor Cables to strengthen the stopping power. The configuration of the barriers and the distance, if any, between the barriers is a matter of total flexibility. One person can quickly and efficiently move a barrier to allow for authorized vehicle egress and ingress or connect the barriers to one of two gate options for even faster access. The Archer 1200 Barrier is the only portable mobile maneuverable barrier solution to hold certifications in both the U.S. and European crash standards pursuant to the U.S. Department of Defense, ASTM F2656, IWA 14, MASH, TL1, TL2, TL3, and PAS 68 crash test standards for deployment of unanchored barriers on hard surfaces. The Archer 1200 Barrier and the related technology, equipment, and training system were awarded the extraordinary U.S. Department of Homeland Security’s SAFETY ACT Certification as Qualified Anti-Terrorism Technology (“QATT”).

The exemplary features of the MERIDIAN QATT include:

- ✓ Rapid deployment of mobile barriers with unmatched stopping capabilities for all vehicles.
- ✓ Exceptional tested and certified stopping power with steel teeth grip to stop forward motion of vehicles.
- ✓ Fabricated of high strength steel and ballistic rated for armor piercing NATO rounds up to 50 caliber ball rounds.
- ✓ Delivers flexible positioning by one person, with no team necessary, requiring no heavy equipment, cranes, or forklifts.
- ✓ Modular design so that one or more barriers can be placed and then easily moved into different configurations in response to changing needs and conditions while denying terrorists the advantage of pre-attack tactical planning.
- ✓ The Archer 1200 Barrier is reusable with an unconditional lifetime guarantee. The barriers can be reused immediately after any impact.
- ✓ The barriers are non-lethal to the driver and minimize shrapnel spray. The barriers thus preserve the opportunity for authorities to capture any instigator and protect evidence, as well as protect a driver in an accidental scenario.
- ✓ The configuration of the barriers enables ease of authorized pedestrian traffic and appropriate vehicle access. Indeed, the barriers are extremely pedestrian user friendly and can be configured to readily accommodate access by disabled pedestrians.
- ✓ The optional addition of an Archer Rapid Gate or Archer Beam Gate with their ability to quickly open and close provides swift access for emergency vehicles without having to move a single barrier.
- ✓ The MERIDIAN Archer technology avoids the problems and inflexibility of fixed concrete bollards, and the inefficient, dangerous, and vulnerable use of police, fire, and other valuable vehicles as blockades.
- ✓ The MERIDIAN solution does not require electricity to operate, or heavy equipment or hydraulics, or the cumbersome, awkward, inefficient, and environmentally unfriendly use of massive amounts of water.



## CUSTOMER INFORMATION

**1a. Table of Awarded Special Item Number(s):**

SIN	DESCRIPTION
334290L	Physical Access Control Systems (PACS) – Legacy SIN
OLM	Order Level Materials (OLM)

**1b. Lowest Priced Model Number and Price for Each SIN:** Part Number AGP001 - \$37.63

**1c. Hourly Rates:** Not applicable.

**2. Maximum Order:** \$250,000

**3. Minimum Order:** \$0

**4. Geographic Coverage (Delivery Area):** Domestic and overseas delivery.

**5. Point(s) of Production (city, county, and state or foreign country):** USA.

**6. Discounts from List Prices or Statement of Net Price:** GSA Net Prices are shown on the attached GSA Price List. Negotiated discount has been deducted and the IFF has been included.

**7. Quantity/Volume Discounts:** None.

**8. Prompt Payment Terms:** Net 30 Days

**9. Foreign Items:** None.

**10a. Time of Delivery:** 30 days after receipt of order.

**10b. Expedited Delivery:** Customers are encouraged to contact the contractor for the purpose of requesting accelerated delivery.

**10c. Overnight and 2-Day Delivery:** Customers are encouraged to contact the contractor for the purpose of requesting accelerated delivery.

**10d. Urgent Requirements:** Customers are encouraged to contact the contractor for the purpose of requesting accelerated delivery.

**11. F.O.B Point(s):** Origin, Freight Prepaid and Add

**12a. Ordering Address:** 177 E Colorado Blvd FL 2 Pasadena, CA 91105-1986

**12b. Ordering Procedures:** For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPAs) are found in Federal Acquisition Regulation (FAR) 8.405-3

**13. Payment Address:** 177 E Colorado Blvd FL 2 Pasadena, CA 91105-1986

**14. Warranty Provision:** Lifetime warranty.

**15. Export Packing Charges:** Not applicable.



16. **Terms and conditions of rental, maintenance, and repair:** Lifetime warranty for maintenance and repair.
17. **Terms and conditions of installation:** None.
- 18a. **Terms and conditions of repair parts indicating date of parts price lists and any discounts from list prices:** Lifetime warranty for maintenance and repair.
- 18b. **Terms and conditions for any other services:** Not Applicable.
19. **List of Service and Distribution Points:** Not Applicable.
20. **List of Participating Dealers:** Not Applicable.
21. **Preventive Maintenance:** Not Applicable.
- 22a. **Environmental attributes, e.g., recycled content, energy efficiency, and/or reduced pollutants:** Not Applicable.
- 22b. **Section 508 Compliance:** As Applicable.
23. **Unique Entity Identifier (UEI) Number:** CLWHGG9NJ187
24. **System for Award Management (SAM):** Meridian Rapid Defense Group is registered in SAM.



### OFFERED GSA PRODUCTS AND PRICING

The rates shown below include the Industrial Funding Fee (IFF) of 0.75%.

MFR PART NO	PRODUCT NAME	PRODUCT DESCRIPTION	UOI	GSA PRICE	COO
AB1200	Meridian Archer 1200 Barrier	An unanchored “drop-and-stop” vehicle barrier for rapid deployment on roadways and hard surfaces. Meridian’s ultimate rapidly deployable Archer 1200 Barrier™ can augment fixed-in-place HVM (Hostile Vehicle Mitigation) barriers or be utilized as a primary security system for entry points, roadways and perimeters. Manufactured of high strength, ballistic rated steel, the Archer 1200 Barrier™ is easily installed by one person without the need for cranes, heavy equipment, electricity or hydraulics. Simply off-load and place the barriers— no anchors or assembly are required. The Archer 1200 Barrier™ is an ideal application for: • areas of mass gatherings • campuses • stadiums and sports arenas • police and fire departments • military bases and installations • industrial plants • transportation centers • financial facilities and offices.	EA	\$6,513.75	USA
AFTB001	Archer Field Tow Bar	The Archer Tow Bar is an adjustable, levering attachment with dual-grip handles that allows one person to move and deploy the barriers. An easy, two point connection interface provides almost instant tow bar hook up or removal. Each tow bar comes equipped with a heavy duty stay pin.	EA	\$574.18	USA
AACN4F022	4’ Arrestor Cable 2.0	The reflective MERIDIAN Arrestor Cables use technology from aircraft carriers to absorb the kinetic energy of a moving vehicle and pull the barriers into play for vehicle mitigation without loss of life. They are attached to barriers in 4-foot segments and can be up to three-ply across strung between two barriers. The reflective cables were designed specifically keeping safety in mind without compromising the mechanical properties of a sling rope. The arrestor cable is manufactured using only the highest grade extra improved plowed steel and vinyl coated in neon yellow that aids in visibility as well as abrasion protection and flexibility. The vinyl coating not only protects the users’ hands and makes the wire easier to handle, but it also seals in any lubrication on the wire rope, increasing it useful life. Each wire rope cable is attached to the barriers by two G-100 Swivel self-locking hooks. The self-locking hooks each have a working load limit of 5,700 pounds and are able to swivel during load, a feature which allows the barriers to roll upon impact, ensuring the safety of the work area.	EA	\$574.18	USA



MFR PART NO	PRODUCT NAME	PRODUCT DESCRIPTION	UOI	GSA PRICE	COO
AMHA003-2	Archer Manual Hauler 2.0	The newest and most advanced MERIDIAN® Hauler has all the hallmarks of MERIDIAN's products' maintenance free and one [1] person ease of use. The Hauler is a rugged barrier dolly that can traverse a variety of surfaces from asphalt to gravel to unimproved dirt roads. The Hauler features a 3,000 lb. rated jack and is manufactured using high strength and corrosion resistant aluminum T6 6061. Using aluminum has allowed us to decrease the weight of the Hauler by 35% while still providing a lifetime warranty on any component of the hauler. The new Hauler was upgraded with an aluminum core solid thread wheel that will guarantee the hauler will last as long as the life of the barrier. The new hauler brakes are also now adjustable so as the tires slowly wear over time one can simply readjust the brakes, so they are making contact with the tires. The new upgraded leverage action is simple in that it only requires the placement of the extension rod into the barrier receiver and locking the pin in place. Once the leverage Hauler is secured, then a simple swing-action moves the barrier into position. Safety is the key so when lifting the barrier, the leverage action is fast up and slow down with the all-purpose brake being deployed.	EA	\$1,925.18	USA
ABG001-2	Archer Beam Gate 2.0	The Archer Beam Gate 2.0 is the easiest active protection and check point gate to deliver, set up, and install. Its patented design can be a standalone product or when used with Archer 1200 Barriers can be extended for greater lineage coverage or with expansive configurations. The Archer Beam Gate is ideal for events, check points, construction sites, and command center egresses. The Beam Gate can be expanded from 14 to 20 feet using adjustable netting. The adjustable netting is coated in a vibrant safety yellow to not only protect the cable itself but also improve the visibility of the net for any oncoming traffic. The deployment and operation of the Beam Gate requires no electricity or hydraulics and is easily deployable in 15 minutes. It is easily transportable to multiple locations, affords maximum flexibility to meet the unique requirements of the facility and space, and can be maintained easily and inexpensively by one person. The Archer Beam Gate system pivots a full ninety degrees vertically to allow ease of access for large vehicles. The Archer Beam Gate system can also be locked in the vertical position and in the horizontal position in case there is a need for the beam to stay upright or locked down for extended periods of time. Incorporated into the Archer Beam Gate are the Technical Specifications of: one Archer 750 Barrier, one Archer 750 Ingot Barrier, one Archer 750 Receiver Barrier, one Archer 750 Pivot Barrier, a Archer Ingot Cart and Counterweights, a marketing frame, an Archer Hauler 2.0, two beams, and one netting.	EA	\$48,245.18	USA



MFR PART NO	PRODUCT NAME	PRODUCT DESCRIPTION	UOI	GSA PRICE	COO
ACP001ADA	Channel ADA Cable Protector	Channel ADA Cable Protectors is an ADA compliant cable protector that protects cables and hoses up to .75" of their outside diameter. Dog bone connectors can extend to any desired length. It has a reinforced hinged lid for easy cable replacement and is available with ADA compliant ramps. It also has a patented 5 bar tread surface for added traction and a modular interlocking design.	EA	\$574.18	USA
ATUPLK001	Archer Touch-Up Paint	MERIDIAN'S Archer Touch-Up Paint is matched the paint of the Archer 1200 Barrier ordered, and can be used to make periodic touch-ups when needed. Includes exactly 6 cans of spray paint.	EA	\$188.17	USA
ACPR001	Custom Paint and Rust Prevention	Meridian offers 8 standard colors for our Archer 1200 barriers, but we can do any RAL custom color. With custom color we also include a rust preventative in specific sections of the Archer 1200 Barrier that cannot be powder coated, so they remain bare carbon steel. Carbon steel will naturally rust with just the humidity in the air and even more so when it rains, so we offer a rust preventative coating that will prevent the barriers from rusting for 2000+ hours. Price is listed per barrier.	EA	\$72.37	USA
AMB1200WSP	Wayfinding Package	Each Wayfinding Package contains a set of 8 collapsible Wayfinding Frames and 32 preprinted signs (8 Caution - Stop, 8 Caution - Caution, 8 Caution - Road Closed, and 8 Caution - Pedestrian Traffic Only). When in the raised position, the frames work to communicate with passing people and vehicles. When Archer Barriers are to be moved, simply lower the frame so it rests on the back kick plate for easy storage. Keeping the frame on the barriers will help with the speed of deployment during setup. The frames can be colored to match the barriers so that they complete the correct safety look and feel for the community.	EA	\$5,785.18	USA
AGP001	Graphics Package	MERIDIAN'S Graphics Package includes the customer's choice of a customized logo. Please note: If Graphics Package is not chosen the Archer 1200 Barrier will come with a reflective MERIDIAN branded logo. All MERIDIAN branded logos are MUTCD compliant. GSA amount is priced for 1 logo only.	EA	\$56.94	USA



MFR PART NO	PRODUCT NAME	PRODUCT DESCRIPTION	UOI	GSA PRICE	COO
RGATE	Archer Rapid Gate	<p>The Archer Rapid Gate is the fastest active protection and check point gate to deliver, set up, and install. Its patented design can be a standalone product or when used with Archer 1200 Barriers can be extended for greater lineage coverage or with expansive configurations. The Archer Rapid Gate is ideal for events, check points, construction sites, and command center egresses. The Rapid Gate can be expanded from 10 to 14 feet using adjustable netting. The adjustable netting is coated in a vibrant safety yellow to not only protect the cable itself but also improve the visibility of the net for any oncoming traffic. The deployment and operation of the Rapid Gate requires no electricity or hydraulics and is easily deployable in 10 minutes. It is easily transportable to multiple locations, affords maximum flexibility to meet the unique requirements of the facility and space, and can be maintained easily and inexpensively by one person. The Archer Rapid Gate system also pivots horizontally 180 degrees to allow ease of access in both directions of traffic. The Archer Rapid Gate system can also be locked in the open position and in the closed position in case there is a need for the beam to stay closed or locked down for extended periods of time.</p> <p>Incorporated into the Archer Rapid Gate are the Technical Specifications of: four Archer 1200 Barriers, four marketing frames, directional traffic signs, five beams, one net, one Rapid Gate cart, and one Archer Manual Hauler 2.0 for easily maneuverability.</p>	EA	\$38,595.18	USA
RGATEKIT	Archer Rapid Gate Kit	<p>The Archer Rapid Gate Kit provides the flexibility to install the Rapid Gate System on any existing Archer 1200 Barriers. The kit was design to easily bolt onto the Archer 1200 Barriers, making each barrier multifunctional. The entire kit can be stored on the Rapid Gate carts and rolled away using the Archer Hauler. The Archer Rapid Gate can be expanded from 10 to 14 feet using adjustable netting. The adjustable netting is coated in a vibrant safety yellow to not only protect the cable itself but also improve the visibility of the net for any oncoming traffic. The deployment and operation of the Rapid Gate requires no electricity or hydraulics and is easily deployable in 10 minutes. It is easily transportable to multiple locations, affords maximum flexibility to meet the unique requirements of the facility and space, and can be maintained easily and inexpensively by one person. The Archer Rapid Gate also pivots horizontally 180 degrees to allow ease of access in both directions of traffic. The Archer Rapid Gate can also be locked in the open position and in the closed position in case there is a need for the beam to stay closed or locked down for extended periods of time. Incorporated into the Archer Rapid Gate Kit are the Technical Specifications of: four marketing frames, directional traffic signs, five beams, one net, and a Rapid Gate cart. The additional purchase of an Archer Manual Hauler 2.0 is recommended for easy maneuverability.</p>	EA	\$12,540.18	USA



MFR PART NO	PRODUCT NAME	PRODUCT DESCRIPTION	UOI	GSA PRICE	COO
TRLKIT1000	Meridian Archer Trailer Kit 1000	The MERIDIAN Archer Trailer Kit 1000 has been equipped with everything needed for certified deployments of up to 8 barriers. The newest upgraded Drop Deck trailer carries all equipment necessary for a successful deployment. The Kit includes 8 Archer 1200 Barriers; 2 Archer Field Tow Bars; 1 Archer Manual Hauler 2.0; 7 of the 4-foot cables; 1 Rapid Gate Kit, 14 of the 3-Channel ADA Cable Protectors, 1 Archer Manual Hauler, 38 Wayfinding Frames, 8 Caution - Stop Signs, 8 Caution - Caution Signs, 8 Caution - Road Closed Signs, and 8 Caution - Pedestrian Traffic Only Signs.	EA	\$115,795.18	USA
AGUARD	Archer Guard	The Archer Guard is a crash cushion system that can be rapidly deployed by one person on roadways and in tight positions to protect workers in construction zones, in overhead work, maintenance work, flaggers and manholes. Due to the mobility of the Archer Guard the system can be moved easily on rolling construction operations as no heavy equipment of forklifts or drivers are required once deployed in the field. The Archer Guard consists of 3 Archer 1200 Barriers, six (6) 4-foot Arrestor Cables, 2 Archer Field Tow Bars, 1 Archer Manual Hauler 2.0, 3 Wayfinding Frames, and reflective directional inserts.	EA	\$28,945.18	USA
TRL7616NW	Archer Guard Trailer	The Archer Guard Trailer from MERIDIAN ensures Archer 1200 Mobile Barriers can be deployed in under ten minutes. To transport and deploy the equipment, the Archer Guard Trailer lowers to the ground, allowing the Archer 1200 Barriers to roll off at street level and eliminating the need for forklifts or heavy equipment. Once the trailer is lowered to the ground, take the Archer Hauler off its convenient trailer mount, and off-load the barriers one at a time. This trailer allows for single-person deployment, making this the perfect trailer for mobile barrier deployment in work safety zones. The arrestor cables can easily be stored inside the storage compartment in the front of the trailer.	EA	\$24,120.18	USA
AGUARDKIT	Archer Guard Trailer Kit	The Archer Guard Trailer Kit is the ideal solution to protect workers in construction zones, overhead work, maintenance work, or manholes. The Archer Guard Trailer Kit consists of two Archer Guards systems and the Archer Guard Trailer, ensuring the equipment needed to block off traffic in both directions is on the trailer. Easily move from one side of the road to the next with the Archer Guard Trailer.	EA	\$82,020.18	USA
BCRADLE	Beam Gate Beam Cradles	The Beam Gate Beam Cradles make moving the Beam Gate from one location to another smoother, safer, and more efficient. The Beam Cradles are installed on the Meridian Trailer fenders and allow the user to easily secure the Archer Beam Gate 2.0 beams on the trailer.	EA	\$477.68	USA



MFR PART NO	PRODUCT NAME	PRODUCT DESCRIPTION	UOI	GSA PRICE	COO
HMOUNT	Archer Hauler Mount	The Archer Hauler Mount provides the user a location to store the hauler when it is not in use. The Hauler Mount is installed on the Meridian trailer, ensuring that everything needed for a deployment is on the trailer.	EA	\$381.18	USA
T1000	Archer T-1000 Drop Deck Trailer	MERIDIAN manufactures and provides specially designed trailers that carry everything needed for an Archer Barrier certified deployment. The newest and most advanced trailer is the MERIDIAN 8-Barrier Drop Deck Trailer - 1000. This trailer is 75 inches wide and readily carries 8 barriers without any tie downs to hold the barriers in place. Instead, the simplicity of e-track shoring bars keeps the barriers locked in when the barriers are being transported. The advantages and advances of this dual axle and four wheel trailer are: 1) it can be operated for one person deployments with a 24 inch swing tailgate; 2) the trailer is both Hydraulic and Air based with solar charging capabilities; 3) upon release of the safety catch the trailer can be lowered and raised with the pressing of the remote control; and 4) the trailer has a heavy-duty diamond deck which allows for superior durability. All metal components are powder coated for the toughest of environments with two 10-inch storage compartments. The trailer is also outfitted with 1 Archer Hauler mount, 2 beam cradles, and 2 compartments to hold the 3-Channel ADA Cable Protectors.	EA	\$34,247.85	USA
AMB1200WS	Wayfinding Frame	The Archer Directional Signage frames are collapsible frames which when in the raised position work to communicate with passing people and vehicles. Keeping the wayfinding frame on the barriers will help with the speed of deployment during setup. The frames can also be colored to match the barriers so that they complete the correct safety look and feel for the community.	EA	\$627.25	USA